


SM 1300 2 S

Otomatik Streç Dilimleme ve Sarma Makinası

- Merdane Genişliği : 700mm
- Servo motor kontrollü çalışma sistemi.
- Makine Hızı : 1500m/dk.
- 2,3,4,...10 adet dilimleme özelliği.
- Jumbo bobin genişlikleri : 300-520 mm.
- Tam otomatik bobin değiştirme.
- Jumbo Bobin Ağırlığı : 70 kg max.
- Masura deposu : 100 Adet Ø50
- Masura çapları : Ø38-Ø50-Ø76 mm
- Sarılmış bobin çapı : Ø 240 mm max.
- Elektronik kenar kontrol sistemi.
- Jumbo sonu yaklaşım uyarısı.
- Sıcak tel ile kesim(Ayarlanabilir tel sıcaklığı)
- Motor fren direnci
- 7" Dokunmatik ekran



Automatic Stretch Slitting & Rewinding Machine

- Shaft Width : 700mm
- Servo motors controlled working system.
- Machine Speed : 1500m/min.
- Slices the stretch film to 2,3,4,.....,10 pieces.
- Jumbo roll width : 300-520 mm
- Changing rolls fully automatically.
- Tube ID 50 mm : 100 pcs Ø50
- Diameter of paper core : Ø38-Ø50-Ø76 mm
- Finished roll diameter : Ø 240 mm max.
- Electronic edge position control system.
- Alerts when jumbo roll closes to the end.
- Cutting with hot wire (Adjustable wire temperature)
- Motor brake resistance
- 7" touchscreen panel



SM 1300 2S

Makinede Kullanılan Malzemeler

- Pnömatik Pistonlar : SMC
- Solenoid Valfler : SMC
- Diğer Pnömatik Ekipmanlar : SMC
- PLC : Eaton
- Şalt Malzemeleri : Eaton
- Butonlar : Eaton
- Kablo Kanalları : Elettrocanali
- Mesafe Sensörleri : Pepperl + Fuchs
- Fotoseller : Pepperl + Fuchs
- Güvenlik Kabini : Öncümak Makina
- Dilimleme Ünitesi : Öncümak Makina
- Servo Motorlar : Lafert
- Motor Sürücüleri : Kuhnke
- İntertör : Kuhnke
- HMI : Eaton - 7" Dokunmatik Renkli Ekran
- Rulmanlar : NSK & FAG

Machine Components

- Pneumactical Pistons : SMC
- Solenoid Valves : SMC
- Other Pneumactical Equipments : SMC
- PLC : Eaton
- Switchgear Equipments : Eaton
- Pushbuttons : Eaton
- Cable Canals : Elettrocanali
- Proximity Sensors : Pepperl + Fuchs
- Photocells : Pepperl + Fuchs
- Slicing Unit : Öncümak Makina
- Security Cabinet : Öncümak Makina
- Servo Motors : Lafert
- Motor Driver : Kuhnke
- Invertor : Kuhnke
- User Interface : Eaton - 7" Touchscreen Colour Display
- Bearings : NSK & FAG