

SP 1400

Otomatik Ön Gerdirmeli Streç Sarma Makinası

- Merdane Geniřliđi : 600mm
- Makine Hızı (max) : 1100 m/dk
- Jumbo bobin geniřlikleri : 300-520 mm.
- Jumbo Bobin Ađırlıđı : 70 kg Max.
- Masura deposu : 100 Adet Ø50
- Masura apları : Ø38-Ø50-Ø76 mm
- Sarılmıř bobin apı : Ø 240 mm max.
- Servo motor kontrollü alıřma sistemi.
- Kenar katlama özelliđi.
- Hıza duyarlı salınım sistemi.
- Hassas kontrollü gerdirme ve sarma sistemi.
- Tam otomatik bobin deđiřtirme.
- Elektronik jumbo kenar kontrol özelliđi.
- Sıcak tel ile kesim(Ayarlanabilir tel sıcaklıđı)
- Motor fren direnci.
- 7" Dokunmatik ekran.



Full Automatic Pre-Stretch Film Rewinding Machine

- Shaft Width : 600mm
- Machine Speed : 1100m/min
- Jumbo roll width : 300-520 mm
- Jumbo roll weight : 70 kg max
- Paper Cores storage : 100 pcs Ø50
- Diameter of paper core : Ø38- Ø50-Ø76 mm
- Finished roll diameter : Ø240 mm max
- Servo motors controlled working system.
- Edge folding system.
- Changing oscillation system speed with respect to the machine working speed.
- Sensitively adjustable pre-stretching and rewinding system.
- Full automatic bobin changing
- Electronic edge position control system
- Cutting with hot wire (adjustable wire temperature)
- Motor brake resistance
- 7" touchscreen panel



SP 1400

Makinede Kullanılan Malzemeler

- Pnömatik Pistonlar : SMC
- Solenoid Valfler : SMC
- Diğer Pnömatik Ekipmanlar : SMC
- PLC : Eaton
- Şalt Malzemeleri : Eaton
- Butonlar : Eaton
- Kablo Kanalları : Elettrocanali
- Mesafe Sensörleri : Pepperl + Fuchs
- Fotoseller : Pepperl + Fuchs
- Güvenlik Kabini : Öncümak Makina
- Serve Motorlar : Lafert
- Motor Sürücüleri : Kuhnke
- İntertör : Kuhnke
- HMI : Eaton - 7" Dokunmatik Renkli Ekran
- Rulmanlar : NSK & FAG

Machine Components

- Pneumactical Pistons : SMC
- Solenoid Valves : SMC
- Other Pneumactical Equipments : SMC
- PLC : Eaton
- Switchgear Equipments : Eaton
- Pushbuttons : Eaton
- Cable Canals : Elektrocanali
- Proximity Sensors : Pepperl + Fuchs
- Photocells : Pepperl + Fuchs
- Security Cabinet : Öncümak Makina
- Servo Motors : Lafert
- Motor Driver : Kuhnke
- Invertor : Kuhnke
- User Interface : Eaton - 7" Touchscreen Colour Display
- Bearings : NSK & FAG